

09-15-00

A

PTO/SB/05 (4/98)

Approved for use through 09/30/2000 OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

<b>UTILITY PATENT APPLICATION TRANSMITTAL</b> <i>(Only for new nonprovisional applications under 37 C.F.R. § 1.53 (b))</i>		Attorney Docket No. 7184-PA10	
		First Inventor or Application Identifier Jeffrey J. Spiegelman	
		Title	METHOD OF IDENTIFYING FLUID PURIFICATION EQUIPMENT WHICH IS OPTIMIZED FOR INDIVIDUAL FLUID PURIFICATION SYSTEMS
		Express Mail Label No. EL584702049US	

<b>APPLICATION ELEMENTS</b> See MPEP chapter 600 concerning utility patent application contents		ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231	
1. <input checked="" type="checkbox"/> *Fee Transmittal Form (e.g., PTO/SB/17) <i>(Submit an original and a duplicate for fee processing)</i>		5. <input type="checkbox"/> Microfiche Computer Program (Appendix)	
2. <input checked="" type="checkbox"/> Specification <i>(preferred arrangement set forth below)</i> [Total Pages 22] <ul style="list-style-type: none"> <li>-Descriptive title of invention</li> <li>-Cross References to Related Applications</li> <li>-Statement Regarding Fed sponsored R &amp; D</li> <li>-Reference to Microfiche Appendix</li> <li>-Background of the Invention</li> <li>-Brief Summary of the Invention</li> <li>-Brief Description of the Drawings (if filed)</li> <li>-Detailed Description</li> <li>-Claims(s)</li> <li>-Abstract of the Disclosure</li> </ul>		6. <input type="checkbox"/> Nucleotide and/or Amino Acid Sequence Submission <i>(if applicable, all necessary)</i> <ul style="list-style-type: none"> <li>a. <input type="checkbox"/> Computer Readable Copy</li> <li>b. <input type="checkbox"/> Paper Copy (identical to computer copy)</li> <li>c. <input type="checkbox"/> Statement verifying identity of above copies</li> </ul>	
3. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total Sheets 1]		<b>ACCOMPANYING APPLICATION PARTS</b>	
4. <input type="checkbox"/> Oath or Declaration [Total Pages 2] <ul style="list-style-type: none"> <li>a. <input checked="" type="checkbox"/> Newly executed (original or copy)</li> <li>b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63 (d))  <i>(for continuation/divisional with Box 16 completed)</i> <ul style="list-style-type: none"> <li>i. <input type="checkbox"/> <b>DELETION OF INVENTOR(S)</b>            Signed Statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§1.63(d)(2) and 1.33(b)</li> </ul> </li> </ul>		7. <input checked="" type="checkbox"/> Assignment Papers (cover sheet & document(s))	
<div style="border: 1px solid black; padding: 2px;"> <p><b>*NOTE FOR ITEMS 1 &amp; 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).</b></p> </div>		8. <input checked="" type="checkbox"/> 37 CFR §3.73(b) Statement <input checked="" type="checkbox"/> Power of Attorney <i>(when there is an assignee)</i>	
		9. <input type="checkbox"/> English Translation Document <i>(if applicable)</i>	
		10. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations	
		11. <input type="checkbox"/> Preliminary Amendment	
		12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) <i>(Should be specifically itemized)</i>	
		13. <input checked="" type="checkbox"/> *Small Entity Statement(s) <input type="checkbox"/> Statement filed in prior application <i>(PTO/SB/09-12)</i> Status still proper and desired	
		14. <input type="checkbox"/> Certified copy of Priority Documents(s) <i>(if foreign priority is claimed)</i>	
		15. <input checked="" type="checkbox"/> Other. Check for \$381 and , Check for \$40	

16 If a **CONTINUING APPLICATION**, check appropriate box and supply the requisite information below and in a preliminary amendment


☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior Application No. \_\_\_\_\_

Prior application information: Examiner \_\_\_\_\_ Group / Art Unit \_\_\_\_\_

**For CONTINUATION or DIVISIONAL APPS only:** The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

**17. CORRESPONDENCE ADDRESS**

Name	BROWN, MARTIN, HALLER & McCLAIN, LLP				
Address	1660 UNION STREET				
City	SAN DIEGO, CALIFORNIA 92101-2926				
Country	USA	Telephone	(619) 238-0999	Fax	(619) 238-0062

Name (Print/Type)	JAMES W MCCLAIN	Registration No. (Attorney/Agent)	24,536
Signature		Date	September 14, 2000

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

# FEE TRANSMITTAL for FY 2000

Patent fees are subject to annual revision.  
Small Entity payments must be supported by a small entity statement,  
otherwise large entity fees must be paid. See Forms PTO/SB/09-12.  
See 37 C.F.R. §§ 1.27 and 1.28

## Complete if Known

Application Number	Unknown
Filing Date	Herewith
First Named Inventor	Jeffrey J Spiegelman
Examiner Name	Unknown
Group / Art Unit	Unknown
Attorney Docket No.	7184-PA10

TOTAL AMOUNT OF PAYMENT (\$ 421 00)

## METHOD OF PAYMENT (check one)

1. ☐ The Commissioner is hereby authorized to charge indicated fees and credit any over payments to

Deposit  
Account  
Number  
Deposit  
Account  
Name

02-4070

BROWN, MARTIN, HALLER & MCCLAIN

☒ Charge Any Additional Fee Required  
Under 37 C.F.R. §§ 1.16 and 1.17

2. ☒ Payment Enclosed:

☒ Check ☐ Money Order ☐ Other

## FEE CALCULATION

### 1. BASIC FILING FEE

Large Entity Fee Code	Large Entity Fee (\$)	Small Entity Fee Code	Small Entity Fee (\$)	Fee Description	Fee Paid
101	690	201	345	Utility filing fee	345
106	310	206	155	Design filing fee	
107	480	207	240	Plant filing fee	
108	690	208	345	Reissue filing fee	
114	150	214	75	Provisional filing fee	

SUBTOTAL (1) (\$ 345)

### 2. EXTRA CLAIM FEES

Total Claims	Extra Claims	Fee from below	Fee Paid
27	-20**= 7	X 9	= 36
Independent Claims	1 - 3**=	X	=
Multiple Dependent			=

\*\*or number previously paid, if greater For Reissues, see below

Large Entity Fee Code	Large Entity Fee (\$)	Small Entity Fee Code	Small Entity Fee (\$)	Fee Description
103	18	203	9	Claims in excess of 20
102	78	202	39	Independent claims excess of 3
104	260	204	130	Multiple dependent claim, if not paid
109	78	209	39	**Reissue independent claims over original patent
110	18	210	9	**Reissue claims in excess of 20 and over original patent

SUBTOTAL (2) (\$ 36)

## FEE CALCULATION (continued)

### 3. ADDITIONAL FEES


Large Entity Fee Code	Large Entity Fee (\$)	Small Entity Fee Code	Small Entity Fee (\$)	Fee Description	Fee Paid
105	130	205	65	Surcharge - late filing fee or oath	
127	50	227	25	Surcharge - Late provisional filing fee or cover sheet	
139	130	139	130	Non-English specification	
147	2,520	147	2,520	For filing a request for reexamination	
112	920*	112	920*	Requesting publication of SIR prior to Examiner action	
113	1,840*	113	1,840*	Requesting publication of SIR after Examiner action	
115	110	215	55	Extension for reply within first month	
116	380	216	190	Extension for reply within second month	
117	870	217	435	Extension for reply within third month	
118	1,360	218	680	Extension for reply within fourth month	
128	1,850	228	925	Extension for reply within fifth month	
119	300	219	150	Notice of Appeal	
120	300	220	150	Filing a brief in support of appeal	
121	260	221	130	Request for oral hearing	
138	1,510	138	1,510	Petition to institute a public use proceeding	
140	110	240	55	Petition to revive - unavoidable	
141	1,210	241	605	Petition to revive - unintentional	
142	1,210	242	605	Utility issue fee (or reissue)	
143	430	243	215	Design issue fee	
144	580	244	290	Plant issue fee	
122	130	122	130	Petitions to the Commissioner	
123	50	123	50	Petitions related to provisional applications	
126	240	126	240	Submission of Information Disclosure Stmt	
581	40	581	40	Recording each patent assignment per property (times number of properties)	40
146	690	246	345	Filing a submission after final rejection (37 CFR 1.129(a))	
149	690	249	345	For each additional invention to be examined (37 CFR 1.129(b))	
Other fee (specify) _____					
Other fee (specify) _____					

\* Reduced by Basic Filing Fee Paid

SUBTOTAL (3) (\$ 40 00)

## SUBMITTED BY

Complete (if applicable)

Name (Print/Type)	James W McClain	Registration No (Attorney/Agent)	24,536	Telephone	(619) 238-0999
Signature				Date	September 14, 2000

## WARNING:

Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

STATEMENT CLAIMING SMALL ENTITY STATUS  
(37 CFR 1.9(f) & 1.27 (c)) — SMALL BUSINESS CONCERN

Docket Number: 7184-PA10

Applicant, Patentee, or Identifier: Jeffrey J. Spiegelman

Application or Patent No.: Unknown

Filed or Issued: Herewith

Title: METHOD OF IDENTIFYING FLUID PURIFICATION EQUIPMENT WHICH IS OPTIMIZED FOR INDIVIDUAL FLUID PURIFICATION SYSTEMS

I hereby state that I am:

☐ the owner of the small business concern identified below:

☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF SMALL BUSINESS CONCERN Aeronex, Inc.

ADDRESS OF SMALL BUSINESS CONCERN 6975 Flanders Drive, San Diego, CA 92121

I hereby state that the above identified small business concern qualifies as a small business concern as defined in 13 CFR Part 121 for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year, and (2) concerns are affiliates of each when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby state that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in:

☒ the specification filed herewith with title as listed above.

☐ the application identified above.

☐ the patent identified above.

If the rights held by the above identified small business concern are not exclusive, each individual, concern, or organization having rights in the invention must file separate statements as to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern, or organization having any rights in the invention is listed below:

☒ No such person, concern, or organization exists.

☐ Each such person, concern, or organization is listed below.

Separate statements are required from each named person, concern, or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28 (b)).

NAME OF PERSON SIGNING Jeffrey J. Spiegelman

TITLE OF PERSON IF OTHER THAN OWNER President

ADDRESS OF PERSON SIGNING 6975 Flanders Drive, San Diego, CA 92121

SIGNATURE [Signature] DATE 8/7/00

1     **METHOD OF IDENTIFYING FLUID PURIFICATION EQUIPMENT WHICH**  
2     **IS OPTIMIZED FOR INDIVIDUAL FLUID PURIFICATION SYSTEMS**

---

3  
4             **BACKGROUND OF THE INVENTION**

5     *Field of the Invention:*

6             The invention herein relates to equipment used for fluid (i.e., gas, liquid  
7     or mixed gas and liquid) purification. More specifically it relates to methods for  
8     identifying such equipment which is optimal for use in an particular fluid  
9     purification system.

10    *Description of the Prior Art:*

11            There are many processes in industry which involve fluid purification.  
12    These include processes in which reactant materials are deposited from fluid  
13    streams and processes in which fluids are used to remove impurities from  
14    surfaces of materials. The degree of purity which is necessary for a particular  
15    fluid stream will depend upon the use to which the fluid stream is to be put, but  
16    in many cases it is necessary to purify the fluid to a level at which the  
17    contaminant concentration in the fluid is at the parts per million (ppm) or parts  
18    per billion (ppb) level.

19            There are numerous types of fluid purification equipment available in the  
20    marketplace. However, notwithstanding the different types of equipment  
21    available, operators of fluid purification processes often find that the selection of  
22    available commercial "off the shelf" devices does not provide a device which is  
23    particularly suitable for the unique nature of an operator's particular process.  
24    Consequently in the past operators of fluid purification processes have often  
25    been faced with the choice of using a market-priced, commercial piece of  
26    equipment which may be acceptable but is not ideal for the process or of having  
27    to have an expensive custom piece of equipment designed specifically for the  
28    process.

29            Those prior art pieces of equipment were originally available for selection  
30    through catalogs. The process operator examined catalogs from several  
31    vendors and selected the piece of commercial equipment that came closest to  
32    what would be useful in the his or her process. The vendor's sales personnel

004150-004150

1 might be available to assist with the operator's selection, but the end result was  
2 still selection of a standard piece of equipment, with little or no accommodation  
3 to the operator's particular process. With the advent of the Internet, vendors  
4 have in effect been able to put their catalogs online, so that operator using the  
5 Internet can select an available piece of fluid purification equipment at the price  
6 that the operator is willing to pay. The Internet has also allowed vendors to  
7 replace the indexing system of typical catalog with a data input system which  
8 allows the operator to enter representative parameters of his or her process and  
9 then the vendor's software identifies the closest commercial product available  
10 from that vendor. Such systems, however, whether in printed catalogs or on the  
11 Internet are still at the level of end products. The operator must therefore  
12 determine which properties of the end product he or she is willing to compromise  
13 on to obtain other components which are closer to optimal for the process of  
14 interest. An operator who is faced with only a limited number of available  
15 commercial products may have no choice but to accept equipment with, for  
16 instance, poor corrosion resistance in order to obtain, for instance, the desired  
17 range of fluid flow rates through the equipment. This is a result of the lack of  
18 prior art methods and software which would allow an operator specify or obtain  
19 a device which would be optimum for the particular fluid purification process in  
20 question on a component-by-component basis.

21 Another current problem for operators is that effectively they can only  
22 access information and order equipment during the regular working day, since  
23 they must normally interact directly with vendors' personnel to obtain quotes,  
24 discuss product selection, etc. Even where the operator has a vendor's  
25 catalogue, they can do little more than get a preliminary idea of what they might  
26 need from the catalogue, and must still work directly with the vendor's personnel  
27 to develop the full equipment and cost package. This is a particular problem if  
28 a vendor is located in a different time zone from the operator. Of course this  
29 also means that vendors must maintain substantial staffs of personnel to work  
30 with the operators to develop such packages, since the catalogues alone do not  
31 enable operators to determine for themselves what equipment is appropriate for

1 their systems, and the catalogues certainly do not allow an operator to custom  
2 design a system specifically to meet his or her needs.

3 It would therefore the advantageous if a method were available through  
4 which a fluid purification process operator could specify in detail the applicable  
5 parameters of his or her process and which would then result in specification of  
6 components which when assembled would be specifically adapted to be used  
7 in the operator's process in an optimal manner. It would also be advantageous  
8 for that system to be fully available to an operator at all times.

### 9 10 **SUMMARY OF THE INVENTION**

11 The present invention overcomes the limitations of the prior art by  
12 presenting to an operator of a fluid purification system an interactive method by  
13 which the operator can identify the significant parameters of his or her system  
14 and the method of the present invention will identify for the operator a  
15 component-level-based fluid purification equipment package which will be  
16 optimized at the component level to the operator's specific requirements. The  
17 operator is thus enabled to identify that combination of components which, when  
18 assembled, can be operated in a matter to provide, in his or her system, optimal  
19 fluid purification, taking into account many variables including fluid type, flow  
20 rate, contaminant challenge, and required output fluid purity. For the purposes  
21 of this invention, "fluid" will include any one or more of gases, liquids, mixtures  
22 of each and mixtures of gases and liquids together. "Gases" also includes  
23 "vapors." "Purification" includes fluid filtration and liquid or gas regeneration  
24 systems. The fluid purification or decontamination processes to which the  
25 invention is applicable can be those which reduce contamination to any degree,  
26 including those where contaminant reduction levels are down to the parts per  
27 million or parts per billion ranges.

28 For brevity herein, the invention will often be exemplified in the discussion  
29 below as a gas purification system. It will be understood, however, that unless  
30 the context indicates otherwise, the discussion is equally applicable to  
31 determination of components for liquid and liquid/gas purification systems.

1           The central aspect of the invention is a relational database containing data  
2   on all pertinent aspects of fluid purification equipment and the components  
3   thereof, and associated operational software to which the operator gains access  
4   through a computer and which then presents to the operator a series of  
5   questions relevant to fluid purification equipment and system requirements. The  
6   content and order of presentation of the questions is such that the answers  
7   elicited from the operator for each question determine what the successive  
8   questions will be. At each level of question the system of this invention uses the  
9   operator's answers to identify appropriate portions of the database and identifies  
10   and selects data from those portions directly related to the operator's indicated  
11   requirements and/or identified the next successive path segments through the  
12   interactive sequence of questions most applicable to the operator's indicated  
13   requirements.

14           The net result is that, at the end of the sequence of questions and  
15   answers, the method of the invention generates from the optimized components  
16   identified and selected, a complete fluid purification equipment package for the  
17   operator's consideration, which is optimized specifically for the operator's  
18   particular system requirements. Since the owner and provider of the method,  
19   database and software of the invention will normally also be a vendor of fluid  
20   purification equipment, the system operator will also usually be able to purchase  
21   the designated equipment from the vendor at the conclusion of the operator's  
22   use of the method of the invention.

23           The operator is thus able to determine, quickly and easily, and with the  
24   most current data, what equipment will best suit the requirements of his or her  
25   fluid purification system, and also to obtain such equipment, customized to those  
26   requirements at the equipment component level. The operator will therefore no  
27   longer be required to accept predesigned equipment which, while perhaps  
28   having a few optimal aspects, will also have other aspects which are not only not  
29   optimal, but which may in fact be detrimental to overall optimal system  
30   performance. Additionally, the vendor does not need to maintain large personnel  
31   staffs, since the operators themselves can optimize their own packages and

1 place their own orders, and can do so at any convenient time and wherever they  
2 may be. It also allows operators to consider and compare all available  
3 components and combinations, from distant as well as local vendors.

4 Therefore, in a principal embodiment the invention herein involves a  
5 method for identifying fluid purification equipment which is optimized for use in  
6 a particular fluid purification system, which comprises providing a database of  
7 specifications regarding a plurality of equipment components from which  
8 selection of individual components may be made; providing access to the  
9 database through an interactive interface of an operating system comprising a  
10 series of sequential inquiries, response to each of which determines a next  
11 inquiry to be posed or a component to be specified, the inquiries eliciting defining  
12 information regarding the particular fluid purification system; and using the  
13 defining information to identify those of the components which, when assembled  
14 to form the fluid purification equipment in a manner specific to the particular fluid  
15 purification system, can be operated so as to optimize fluid purification in the  
16 particular fluid purification system.

17 In another principal embodiment, the invention involves apparatus  
18 comprising electronic media for identifying fluid purification equipment which is  
19 optimized for use in a particular fluid purification system. The media provides a  
20 database of specifications regarding a plurality of equipment components from  
21 which selection of individual components may be made. Access to the database  
22 through an interactive interface of an operating system comprising a series of  
23 sequential inquiries, response to each of which determines a next inquiry to be  
24 posed or a component to be specified, with the inquiries eliciting defining  
25 information regarding the particular fluid purification system. The defining  
26 information is used to identify those of the components which, when assembled  
27 to form the fluid purification equipment in a manner specific to the particular fluid  
28 purification system, can be operated so as to optimize fluid purification in the  
29 particular fluid purification system.

30 Other embodiments and aspects will be evident from the detailed  
31 description below.

0964647 094400



## BRIEF DESCRIPTION OF THE DRAWING

The single Figure of the drawings is a schematic flow chart illustrating the present invention and a representative example of its use.

## DETAILED DESCRIPTION AND PREFERRED EMBODIMENTS

There are a number of important parameters in fluid purification systems. These include the physical and chemical properties of the fluid, the contaminants in the fluid and the materials from which the purification equipment or device is made. They also include the operating conditions under which the fluid purification will take place, including operating conditions such as fluid pressure, fluid temperature, fluid flow rate through the equipment, inlet contaminant challenge (i.e., the contaminant load of the incoming fluid), the desired service life of the equipment (i.e., the time between scheduled maintenance intervals), the outlet purity required for the decontaminated fluid and the duty cycle (i.e., the percentage of time that the system will be operating, measured in units such as hours per week). In addition, since the fluid purification equipment operates in the context of a larger system such as a power plant or a chemical plant, it is also important to specify the properties of the interconnecting fittings that the equipment must have in order to connect to the rest of the larger system. Not only can all of these parameters vary widely from system to system, but many of them are also interrelated. For instance, if the incoming contaminant load is large and the desired outlet fluid purity is high, it will usually be necessary to operate the equipment at a relatively low fluid flow rate in order to provide sufficient residence time within the equipment for the contaminants to be removed down to the desired outlet purity level. Similarly, removal of a high contaminant load down to a low level also usually means a relatively short service life and frequent maintenance periods, especially if the duty cycle is high.

The present invention is applicable to all types of fluid purification systems and all of the various fluids used in such systems. These will include fluids which are relatively inert, such as the noble gases, nitrogen, liquid water and water vapor; fluids which may be acidic, caustic or otherwise corrosive, such as the

00460 29999

1 halogen gases or strong liquid acids or alkalis; and fluids which have other  
2 properties which require special attention, including oxidizing gases such as  
3 oxygen and flammable or explosive gases such as hydrogen or light gaseous  
4 and liquid hydrocarbons. It will be evident of course that the different types of  
5 fluids commonly require different types of fluid purification equipment, and it is  
6 a principal characteristic of this invention that its use allows an operator to  
7 prescribe and obtain equipment optimal for use with the particular fluid at issue,  
8 no matter whether its properties are benign or aggressive.

9 Similarly, the present invention is applicable to fluid purification systems  
10 regardless of what type of fluid impurity or contaminant is present in the system.  
11 The invention can accommodate and specify a particulate filtration component  
12 as well as a component that separates entrained liquids from a gas stream or  
13 dissolved or dispersed gases from a liquid stream, and also components such  
14 as adsorbents which separate gaseous contaminants from a main gas stream.

15 Central to the present invention is an overall relational database which  
16 contains all of the relevant information on the various components which can be  
17 part of a fluid purification system, along with information regarding the  
18 interconnection of these various components. This database will contain  
19 information, for instance, regarding all of the applicable gas adsorbents which  
20 can be used to separate gaseous contaminants from a main gas stream, various  
21 gas/liquid separation devices to separate gases from a target liquid or vice  
22 versa, various materials from which the equipment can be manufactured and the  
23 various fluids which an operator may wish to purify. Similarly, the database will  
24 contain information regarding various types of pipe and tubing fittings, applicable  
25 flow rate data and flow resistance data. Because of the relational nature of the  
26 database, the various data included can be interrelated to each other based on  
27 the fluid purification equipment requirements defined by the operator/user of the  
28 database during the interactive question/answer performance of the invention.

29 The database will also preferably include data on the operational context  
30 of the fluid purification system. This will permit the system to offer to the  
31 operator the ability to include in the selection criteria ancillary equipment to be

004169 7-091400

1 used with the selected fluid purification equipment. Such ancillary equipment  
2 may include such things as process control instrumentation and devices, types  
3 of piping and valving to allow interconnection with adjacent equipment, desirable  
4 upstream or downstream devices such as particulate matter filtration devices to  
5 remove particulates from the fluid before the fluid is purified of non-particulate  
6 matter in the operator's fluid purification system, and the like.

7 The data to be included in the database are well-known and well  
8 understood to those skilled in the art of gas purification, since these are the  
9 various parameters and data that such persons have been working with and  
10 have been familiar with for many years. The present invention does not require  
11 new types of data, although such databases are capable of accepting new data  
12 as they become available, and incorporating those new data into the relational  
13 framework of the database. Rather the essence of the present invention is that  
14 it makes these data available and accessible to operators in a manner and that  
15 allows them to specify and obtain the optimum combination of the various  
16 components to assemble gas purification equipment which will be optimized in  
17 all components for an operator's particular process.

18 The invention accomplishes this objective by applying to the database a  
19 software inquiry system which poses a series of predetermined questions to an  
20 operator regarding his or her gas purification requirements and from the step-by-  
21 step answers elicited from the operator selects the various components which  
22 when combined will be optimized gas purification equipment for the operator's  
23 specific process. The operator is therefore able to obtain gas purification  
24 equipment which is optimized at the component level rather than being forced  
25 to choose between vendors' end products, each of which is likely to have only  
26 a few, and definitely not all, of its components optimized for the operator's own  
27 particular gas purification requirements.

28 There are a number of different relational database software programs  
29 available commercially which are capable of presenting a user (i.e., the operator)  
30 with a series of structured, predetermined questions and a list of acceptable  
31 answers for each question, and from the answer selected by the user for each

question be able to search the database and select information (i.e., in this case component identification) which are most responsive to the user's answers. The specific descriptions and details of such software therefore do not need to be described in detail in this specification. In any event it will be the owner of the database which provides the software and the software itself will be essentially transparent to the user. The user, having logged on to the software/database system of the present invention, will simply encounter a series of interactive screens or Web site pages which pose the applicable questions seriatim and use the answers individually or in combination to retrieve from the database identification of the components which, when combined, will result in the specification of gas purification equipment which will provide overall optimum performance in the system specified by the operator in response to the interactive questions from the software.

The method of the present invention can then be understood best reference to the Figure of the drawing. The Figure illustrates the first three steps and the final results in a typical operator/user interaction with the software and database by which the present invention identifies optimized gas recovery equipment for the invention user. Starting first at the top of the diagram of the Figure, the operator after having logged into the system through his or her computer 40 (either by the Internet 41 or through hard media 42 such as a CD) is presented with a first question 1 as indicated at 43. The question 1 will be accompanied on the computer 40 through the Internet interface 41 or CD 42 with a list of acceptable answers, and the operator/user will be required to indicate his or her answer 1a from that list of answers. Once the answer 1a is elicited and transmitted by to the system, also as indicated at 43, the software initiates a step-by-step search through the database to identify one or more portions of the database relevant to that answer and identify information (e.g., individual component information and specifications) which is most responsive to the answer 1a selected. The Figure illustrates how the difference acceptable answers 1a to question 1 lead to separate paths 14, 15, 16, ... in which are performed searches of different portions 10, 11, 12, ... (13)... of the database.

Each of these portions of information may be considered to be "subdatabases" of the main database. Each of the various answers 1a to the question 1 will lead to one of the subdatabases 10, 11, etc. For example, in many cases the first question to be posed to the operator/user by present method will be to identify the specific gas which is to be purified. Specification of a noble gas such as argon may, for example, start the process down one path 14, whereas if the answer 1a identified a corrosive gas, that could start the process down a second path 15 or 16, and so forth. Different selections of answers to a question may also lead to the same path; for instance, if acceptable selections from the list of answers 1a include argon, neon, or helium, all may lead to path 14 since all are noble gases.

Regardless of which path ends up being selected by the answer 1a, a result of accessing the subdatabases 10, 11, etc. may be a search that will identify a particular designation of information 10', 12', ... . Designation of information such as 10' may be of a specific component of gas purification equipment, a specific type of material to be used for the equipment, or any other information which is responsive to the answer 1a elicited from the operator. It is also contemplated that in some cases the designation of information 10', ... may be negative information, in that for example it may be identification of equipment, materials, or the like which will not be suitable in the operator's system, and which will thereafter be excluded from consideration (e.g., inclusion in answer lists) by the system. Alternatively, as with subdatabase 11, the response generated by the answer 1a may simply be to identify the start of the path 15, and that the access to subdatabase 11 is intended not to generate a search at this level but rather to begin the focus of the method on a final selection of gas purification equipment which will be defined in part by the parameters of subdatabase 11.

The method of the present invention, having completed the first step, then moves to a second level and presents the operator/user with a second question 2a, 2b, ... . Because the question posed at level 2 is dependent upon the subdatabase 10, 11, etc. to which the software was directed by the answer 1a

at level 1 of the questions, questions 2a and 2b will not necessarily be the same question, and in fact may be quite different questions. Even if questions 2a and 2b are the same question, the list of acceptable answers that each presents to the operator may be the same, may be entirely different, or may have some of the same answers and some different answers. For instance, if as in the example mentioned above the question 1 on identification of a specific gas led to an "inert gas" path 14 or a "corrosive gas" path 15, and the second question 2 called for identification of a specific material from which applicable gas purification equipment might be made, the list of acceptable answers 2a would be expected to be longer than the list of acceptable answers 2b, although many if not all of the answers in the list 2b would also be on the list 2a, but not vice versa.

The system then proceeds as described above respect to a second level of subdatabases 20, 21, 22,... (23).... In the Figure in this level is also illustrated as having subdatabase 21 made up of two portions 21' and 21". The Figure at this level also illustrates that the particular response 2a may lead to any of the subdatabases 20, 21', or 21", while a response 2b may lead to subdatabases 21" or 22. At each level, as illustrated for this level 2, the step may include a subdatabase search such as at 20 which leads to identification of information 20', ... , or merely to identification of the parameters of the particular level 2 subdatabase, as was described above with respect to subdatabase 11. (The specific responses or searches therefore need not be specifically shown for the other subdatabases 21 and 22.)

Thereafter the system moves on to pose questions at level 3 as indicated at 3A, 3B, 3C and 3D, each of which elicits respective answers 3a, 3b, 3c or 3d. Illustrated in the figure at this level is that two different subdatabases (here illustrated as 21" and 22) may lead to the same question at the next level. Also illustrated this level is that the next question following a particular subdatabase such as 12 does not necessarily occur at next level, but may skip levels as indicated at question 3D and answer 3d. For instance, if the path 16 from question 1 were defined for explosive gases, and the second level of questions

1 did not relate to explosion hazards, the system would bypass that level for path  
2 16 and go directly to the third level (or wherever the next level with a relevant  
3 question occurred).

4 It is also contemplated that the system may include provisions which allow  
5 for custom design of specific components. For instance, an inquiry could be  
6 designed to offer choices of several vendor-specified embodiments of a  
7 particular component and also a choice of an operator-specified embodiment.  
8 If the operator responded that he or she wanted to specify the properties of the  
9 component, the system could list the various component parameters from which  
10 the operator could select an unique specification. The system could then  
11 determine if the combination specified by the operator was feasible (e.g., that the  
12 operator had not specified incompatible parameters), and if so, formulate a quote  
13 of the cost for the vendor to produce the custom component. The operator could  
14 then confirm or cancel the request.

15 Similarly, the method of the invention includes a compatibility function in  
16 the software to analyze responses to the inquiries and to present notice to the  
17 operator when a series of responses results in possible selection of incompatible  
18 components. While for the most part the software anticipates and avoids such  
19 results, by using the responses to earlier questions to determine what response  
20 choices are made available for subsequent questions, not all responses or  
21 results can be anticipated in advance. Therefore when an incompatibility is  
22 identified by the software, the operator will be notified by an on-screen warning,  
23 and will be requested to respecify the affected components or elements thereof.  
24 If desired, the software can allow be designed to present to the operator one or  
25 more alternative choices which would avoid the incompatibility.

26 Ultimately through a series of additional questions and answers as  
27 exemplified by the extended path 14 (identified by the wide line in the Figure),  
28 enough information has been determined from the operator's answers to the  
29 questions that the relational system can present the operator with at least one  
30 fully compiled and interrelated package of information 10', 20', etc. which defines  
31 a fluid purification equipment system 100 which is optimized for the operator's

process. It will be recognized that optimization is a function of numerous factors, including technical, environmental and economic factors. Thus an operator may actually consider that there can be several possible "optimum" fluid purification systems for the operator's specific needs, depending on the weight given to the different factors. The present invention therefore includes the function that the inquiries and operator's responses can generate more than one such package, when the database operational software identifies components that fit the operator's needs but differ in their technology or economics. For instance, if the operator specifies that purification of the fluid down to a 1 ppm contaminant level is acceptable, the system may generate two possible component combinations, both of which meet this criterion, but where one has higher cost but greater contaminant reduction than the other, and the operator can then choose between them. Thus, as exemplified in the drawing, the system through 14' and 14" could generate alternative component combinations 101 and 102, in addition to combination 100, so that the operator could choose among them based on his or her choice of what functions or features should be given greater weight. For instance, using the above example, one operator might decide that the higher cost system was optimum since it allowed for a wider range of product contaminant loads while another operator faced with the same choice might decide that the other combination was optimum since it performed adequately at lower cost.

Similarly, other paths through the system, as defined by other answers given at various levels by other operators, will lead to other gas purification equipment systems 103, 104 and so forth, which are optimized for those operator's requirements based on their unique inputs of information.

It will be understood that the Figure is diagrammatic and that in any given embodiment of the present invention the sequence of questions, the lists of acceptable answers, and the particular relational software-derived paths may be different. While as indicated, a specific question presented at one level will be dependent upon the answers given at previous levels, which in turn have defined the particular path leading to the level of the specific question, in many cases a



sequence of questions may be presented as a matter of convenience rather than necessity. For example, a question related to operating conditions such as gas temperature or pressure may precede or follow a question related to the identification of the gas itself. Specific questions may cause paths to diverge as indicated following question 2B and subsequently converge as indicated at question 3C, since in many cases two or more questions and answers are needed to fully identify a component and the order in which the relevant parameters are established is not important. It will also be understood that the diagramed Figure does not necessarily represent a particular algorithm used by a particular software program which is being used to search the database. It is not necessary that software be structured in the form of "levels" but rather may use well-known computer architecture techniques such as sequences of subroutines to schedule and present questions and to act upon answers. It will be recognized that the invention resides in the concept of integrating a series of interactive questions and answers with related database and/or subdatabase searches which allow optimization of the gas recovery equipment selection on a component basis rather than simply directing an operator/user to a non-optimized product of predetermined design.

The media through which the method of the present invention is presented to the operator for use may be any appropriate electronic medium, including but not limited to hard media 42 such as the computer 40's internal memory hard drive or interactive CD-ROMs or DVD-ROMs accessed through readers therefor integrated into the computer 40 or access through the global interactive computer network 41 (i.e., the Internet). It is contemplated that the latter, the Internet and associated Web site(s), will be the preferred medium of presentation. Selection of gas purification equipment is for most process operations not a frequent event, and therefore most are reluctant to invest in hard media which may be used only once in a number of years, and in which some of the included data may become obsolete during the long intervals between use. Therefore it is anticipated that most operators will want to access the Internet Web site or sites which present the method of this invention. Such

1 operators will thus obtain the information they need without having to make a  
2 long-term purchase of hard media, and will be assured of having the most  
3 current information, since the owner/manager of the database will keep it  
4 updated on a regular basis.

5 The system is designed such that the operators of the fluid purification  
6 systems themselves can access the information directly. It is also designed for  
7 use by local representatives of component supply companies working directly  
8 with those purification system operators who do not wish to use the invention  
9 develop an entire package on their own. To this end the databases in the  
10 system, whether on hard media or at the Internet Web site, will contain all  
11 information about the various components and ancillary equipment that an  
12 operator or representative may need to make appropriate responses to the  
13 inquiries and selections when choices are offered by the system. Thus, for  
14 instance, the databases will include data such as full component and component  
15 combination descriptions and documentation, purchase prices, anticipated costs  
16 of operation, environmental effects, interconnectability with ancillary equipment,  
17 and so forth. It will also contain necessary pricing information and preferably will  
18 include a function which will generate and display to the operator and  
19 representative a running total of component costs, so that inquiries can be  
20 repeated and responses modified or changed based on cost considerations.

21 The system can be operated on many different kinds of computers,  
22 including but not limited to desktop computers, laptop computers and Internet-  
23 access-specific computers. Especially for vendors' field representatives and  
24 system operators who are themselves frequently away from their offices, it is  
25 desirable to use laptop computers and to have the databases and operating  
26 software on CD's or DVDs or maintained on the computer's hard drive, so that  
27 the system may be accessed and used at any time and in any locale. Of course,  
28 having the system accessible over the Internet also makes it available at any  
29 time of day or night and at any locale where Internet access is available. Since  
30 many computers are now equipped for wireless access to the Internet,  
31 availability of the system is extensive. In either case the operator is no longer

1 limited to obtaining information or making selections only during a vendor's  
2 working hours, and a representative is not limited to meeting with customers only  
3 when directly access to a home office for information is possible. Further, the  
4 Internet information can be updated immediately upon any changes in  
5 component availability, cost, features, etc., so that one accessing the system  
6 over the Internet has the most current information. Provision can also be made  
7 for operators and representatives to download updates to their own computers  
8 and incorporate the new information directly into the program copies in their  
9 computers' memories or to supplement previously received CDs or DVDs. CDs  
10 and DVDs can also be updated on a frequent schedule and distributed, in a  
11 manner which provides much more currency of the information than has  
12 previously been available from vendors' catalogues, since catalogues require  
13 much more time and expense to update, reprint and distribute.

14 It will be evident that there are numerous embodiments of the present  
15 invention which are not expressly described above, but which are clearly within  
16 the scope and spirit of the invention. The above description is therefore to be  
17 considered exemplary only, and the actual scope of the invention is to be defined  
18 solely by the appended claims.

19 I CLAIM:

004150" 034400

**CLAIMS**

1. A method for identifying fluid purification equipment which is optimized for use in a particular fluid purification system, which comprises:

providing a relational database of specifications regarding a plurality of equipment components from which selection of individual components may be made;

providing access to said database through an interactive interface of an operating system comprising a series of sequential inquiries, response to each of which determines a next inquiry to be posed or a component to be specified, said inquiries eliciting defining information regarding said particular fluid purification system; and

using said defining information to identify those of said components which, when assembled to form said fluid purification equipment in a manner specific to said particular fluid purification system, can be operated so as to optimize fluid purification in said particular fluid purification system.

2. A method as in Claim 1 further comprising said inquiries eliciting said defining information regarding operating parameters of said particular fluid purification system.

3. A method as in Claim 2 further comprising at least one of said operating parameters being selected from the group consisting of fluid type, fluid flow rate, inlet fluid contaminant challenge, outlet fluid purity, duty cycle, life span between service, fluid temperature, fluid pressure, cost and connections to upstream and downstream portions of said particular fluid purification system.

4. A method as in Claim 1 wherein said database comprises a plurality of subdatabases, each subdatabase comprising selection information regarding at least one property of at least one said component of said fluid purification equipment.

5. A method as in Claim 4 wherein a series of said responses to inquiries  
2 through said interface causes said operating system to compile a series of  
component selections from said plurality of subdatabases, which components  
4 will, when assembled, form said fluid purification equipment which can be  
operated so as to optimize fluid purification in said particular fluid purification  
6 system.

6. A method as in Claim 5 further comprising causing said subdatabases to  
2 be addressed sequentially, a sequence of addressing being determined at each  
step in said sequence by said response elicited in an immediately prior step.

7. A method as in Claim 5 wherein compilation of said series of component  
2 selections further causes said operating system to generate a subsequent series  
of inquiries regarding choice of equipment ancillary to said fluid purification  
4 system.

8. A method as in Claim 7 wherein said equipment ancillary to said fluid  
2 purification system comprises fluid flow, process control and instrumentation  
equipment.

9. A method as in Claim 4 wherein said selection information of at least one  
2 of said subdatabases comprises data for evaluating from said responses  
whether a defined component currently is available in the marketplace and if not  
4 what design and manufacture costs of said defined component would be.

10. A method as in Claim 4 wherein said selection information of at least one  
2 of said subdatabases comprises data for evaluating from said responses  
whether combinations of defined components are operationally compatible and  
4 presenting a notification thereof.

004T60-094400

11. A method as in Claim 10 further comprising said notification including  
2 suggesting options for alternative compatible combinations.

12. A method as in Claim 1 further comprising said using said defining  
2 information to identify a plurality of combinations of said components, wherein  
each combination of said plurality can be assembled to form said fluid  
4 purification equipment in a manner specific to said particular fluid purification  
system and can be operated so as to optimize fluid purification in said particular  
6 fluid purification system.

13. A method as in Claim 12 wherein said combinations of said components  
2 differ from each other with respect to technical and economic parameters, and  
said method further comprises generating a further inquiry response to which  
4 indicates selection among said combinations of a specific combination of said  
technical and economic parameters most suitable for obtaining optimized fluid  
6 purification in said particular fluid purification system.

14. A method as in Claim 1 wherein said fluid comprises a liquid, a gas or a  
2 mixture thereof.

15. A method as in Claim 14 wherein purification of said liquid, gas or mixture  
2 comprises removal of contaminants to a level in a parts per million or parts per  
billion range.

16. A method as in Claim 14 wherein purification of said liquid, gas or mixture  
2 comprises absorption, separation or filtration.

17. A method as in Claim 1 further comprising gaining access to said  
2 relational database by means of a computer or through a global computer  
network.

004T60" 094400

2 18. Apparatus comprising electronic media comprising embodiment of the  
method of Claim 1 in a form accessible for interactive use.

19. Apparatus as in Claim 18 further comprising said embodiment comprising  
2 a relational database and operational software therefor.

20. Apparatus as in Claim 19 wherein said relational database comprises a  
2 plurality of subdatabases, each subdatabase comprising selection information  
regarding at least one property of at least one said component of said fluid  
4 purification equipment.

21. Apparatus as in Claim 20 wherein said selection information of at least  
2 one of said subdatabases comprises data for evaluating from said responses  
whether combinations of defined components are operationally incompatible and  
4 presenting a notification thereof.

22. Apparatus as in Claim 19 further comprising accessibility to said  
2 relational database and operational software therefor being by means of a  
computer.

23. Apparatus as in Claim 22 where said relational database and operational  
2 software therefore are maintained on and accessible from said interactive  
storage media disposed within said computer.

24. Apparatus as in Claim 23 wherein said interactive storage media  
2 comprises a memory hard drive, a CD-ROM or a DVD-ROM.

25. Apparatus as in Claim 22 wherein said computer comprises a desktop  
2 computer, a laptop computer or an Internet-access-specific computer.

09664647 091400

- 21 -

26. Apparatus as in Claim 18 wherein said electronic media comprises a  
2 global computer network.

27. Apparatus as in Claim 26 further comprising said embodiment comprising  
2 a relational database and operational software therefore, with accessibility  
thereto being through an Internet Web site on said global computer network.

09561617.094400



↑

2

3 purification system operator inputs the system's parameters and the method then

4 identifies one or more fluid purification equipment packages which will be

5 optimized at the component level to the operator's specific requirements. The

6 invention includes a relational database containing data on fluid purification

7 equipment, the components thereof and ancillary equipment, and associated

8 operational software to which the operator gains access through a computer and

9 which then presents to the operator a series of questions relevant to gas

to purification equipment and system requirements. The questions are such that


1 the responses elicited from the operator for each question determine what the

2 successive questions will be and what optimal components will be identified.

3 The software and databases may be in memory on the computer, embodied on

4 CDs or DVDs run by the computer, or accessed through the Internet.

Variable	Mean	SD	Min	Max
Age	34.5	10.2	22	55
Gender	1.2	0.4	1	2
Marital status	1.5	0.5	1	3
Education	12.5	1.5	9	16
Income	1.5	0.5	1	3
Occupation	1.5	0.5	1	3
Health status	1.5	0.5	1	3
Stress level	1.5	0.5	1	3
Life satisfaction	1.5	0.5	1	3
Depression	1.5	0.5	1	3
Anxiety	1.5	0.5	1	3
Loneliness	1.5	0.5	1	3
Self-esteem	1.5	0.5	1	3
Resilience	1.5	0.5	1	3
Optimism	1.5	0.5	1	3
Gratitude	1.5	0.5	1	3
Forgiveness	1.5	0.5	1	3
Compassion	1.5	0.5	1	3
Kindness	1.5	0.5	1	3
Generosity	1.5	0.5	1	3
Patience	1.5	0.5	1	3
Humility	1.5	0.5	1	3
Modesty	1.5	0.5	1	3
Shyness	1.5	0.5	1	3
Introversion	1.5	0.5	1	3
Extroversion	1.5	0.5	1	3
Sensitivity	1.5	0.5	1	3
Empathy	1.5	0.5	1	3
Altruism	1.5	0.5	1	3
Cooperativeness	1.5	0.5	1	3
Teamwork	1.5	0.5	1	3
Leadership	1.5	0.5	1	3
Communication	1.5	0.5	1	3
Interpersonal skills	1.5	0.5	1	3
Problem-solving	1.5	0.5	1	3
Decision-making	1.5	0.5	1	3
Time management	1.5	0.5	1	3
Organization	1.5	0.5	1	3
Productivity	1.5	0.5	1	3
Efficiency	1.5	0.5	1	3
Quality of work	1.5	0.5	1	3
Job satisfaction	1.5	0.5	1	3
Work-life balance	1.5	0.5	1	3
Stress management	1.5	0.5	1	3
Emotional regulation	1.5	0.5	1	3
Self-awareness	1.5	0.5	1	3
Personal growth	1.5	0.5	1	3
Life goals	1.5	0.5	1	3
Values	1.5	0.5	1	3
Beliefs	1.5	0.5	1	3
Attitudes	1.5	0.5	1	3
Perceptions	1.5	0.5	1	3
Thoughts	1.5	0.5	1	3
Feelings	1.5	0.5	1	3
Behaviors	1.5	0.5	1	3
Interactions	1.5	0.5	1	3
Relationships	1.5	0.5	1	3
Community	1.5	0.5	1	3
Society	1.5	0.5	1	3
Culture	1.5	0.5	1	3
Traditions	1.5	0.5	1	3
Customs	1.5	0.5	1	3
Norms	1.5	0.5	1	3
Values	1.5	0.5	1	3
Beliefs	1.5	0.5	1	3
Attitudes	1.5	0.5	1	3
Perceptions	1.5	0.5	1	3
Thoughts	1.5	0.5	1	3
Feelings	1.5	0.5	1	3
Behaviors	1.5	0.5	1	3
Interactions	1.5	0.5	1	3
Relationships	1.5	0.5	1	3
Community	1.5	0.5	1	3
Society	1.5	0.5	1	3
Culture	1.5	0.5	1	3
Traditions	1.5	0.5	1	3
Customs	1.5	0.5	1	3
Norms	1.5	0.5	1	3



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

<b>DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION</b>  <input checked="" type="checkbox"/> Declaration Submitted with Initial Filing <input type="checkbox"/> Declaration Submitted after Initial Filing	Attorney Docket	7184-PA10
	First Named Inventor	Jeffrey J. Spiegelman
	COMPLETE IF KNOWN	
	Application Number	Unknown
	Filing Date	Herewith
	Group Art Unit	Unknown
	Examiner Name	Unknown

**As a below named inventor, I hereby declare that:**

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD OF IDENTIFYING FLUID PURIFICATION EQUIPMENT WHICH IS OPTIMIZED FOR INDIVIDUAL FLUID PURIFICATION SYSTEMS

(Title of the Invention)

the specification of which

☒ is attached hereto

OR

☐ was filed on (MM/DD/YYYY) [ ] as United States Application Number or PCT International

Application Number [ ] and was amended on (MM/DD/YYYY) [ ] (if applicable.)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed

Prior Foreign Application Numbers	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached? YES NO	
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto

09643-091400

# DECLARATION - Utility or Design Patent Application

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT International application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Patent Application Number	PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. Registered practitioner(s) name/registration number listed below


Name	Registration Number	Name	Registration Number
NEIL F. MARTIN JOHN L. HALLER JAMES W. MCCLAIN	23,088 27,795 24,536	ELEANOR M. MUSICK	35,623

Direct all correspondence to:

Attorney Name	JAMES W. MCCLAIN				
Address	BROWN, MARTIN, HALLER & McCLAIN, LLP				
Address	1660 UNION STREET				
City	SAN DIEGO	State	CALIFORNIA	ZIP	92101
Country	USA	Telephone	(619) 238-0999	Fax	(619) 238-0062

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

NAME OF SOLE OR FIRST INVENTOR: ☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])				Last Name			
Jeffrey J.				Spiegelman			
Inventor's Signature				Date		8-24-00	
Residence: City	La Jolla	State	CA	Country	US	Citizenship	US
Post Office Address	5440 Bellevue Avenue						
Post Office Address							
City	La Jolla	State	CA	Zip	92037	Country	US

NAME OF SECOND INVENTOR: ☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])				Last Name			
Inventor's Signature				Date			
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		Zip		Country	

☐ Additional Inventors are being named on the supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto